



POWERWINCH





Powering the Evolution of Winching

For over 60 years, Powerwinch has set the industry standard in high-quality, high-performance marine and RV winches.

Founded in 1956 in Bridgeport, Connecticut, Powerwinch's headquarters and manufacturing facility is now located in Fairview, Tennessee as part of the Scott Fetzer Electrical Group portfolio.



Remote Control
RC30 Series
Trailer Winch

TRAILER WINCH SERIES

THE TRAILER WINCH SERIES ALLOWS FOR EASE AND SECURITY OF LOADING YOUR BOAT ONTO THE TRAILER OR RELEASING IT INTO THE WATER. WITH QUALITY MOTORS AND HEAT TREATED GEAR MECHANISMS, THE TRAILER WINCH SERIES GUARANTEES *POWER AND STRENGTH*.



Motorized Folding
Camper Winch
with 1200lb Lift Capacity

FOLDING CAMPER WINCH

THE FOLDING CAMPER WINCH ALLOWS FOR RAISING AND LOWERING YOUR CAMPER WITH THE TOUCH OF A SWITCH. ELIMINATE HAND CRANKING! *NO MORE STRUGGLING*, JUST SIT BACK AND RELAX.



Anchor Winch
36' Class
Windlass

FREE-FALL WINDLASSES

THE FREE-FALL WINDLASSES ALLOW FOR QUICK AND SMOOTH ANCHORING. THE POWERWINCH PATENTED FREE-FALL SYSTEM ENSURES *QUICK AND SAFE ANCHORING*. ANCHOR WHERE YOU WANT, WHEN YOU WANT.



Powered Lift Assist
Capstan 1000
with 1000lb Pulling Power

POWERED LIFT ASSIST CAPSTAN

THE CAPSTAN COLLECTION ALLOWS FOR EASY AND FAST ANCHORING, SAILING, AND FISHING. WITH *IMPRESSIVE PULLING POWER*, POWERWINCH CAPSTANS ARE A GREAT TOOL FOR QUICK RETRIEVALS OF LOBSTER, PRAWN, AND CRAB POTS.



POWERWINCH



TRAILER WINCH SERIES

Light Available for the RC Series

Built in light
So you can use your boat at night

Smooth running and heat treated gear system

For long life and protection against wear and tear

Level wind system

Prevents cable snarls

Hand crank
For emergency

RC Series Hand Crank
Stored in the Winch Casing



Choose Model 915 for Power-in/
Power-out Operation

Power-in/Freewheel-out &
Power-in/Power-out options

Effortless trailer loading

Aircraft quality cables

For strong and durable loading

UV-resistant ABS plastic housing

More durable design resists exposure, lasts longer

Zinc-plated frame

Corrosion-resistant winch

Remote control
For remote operating, and ease in loading



Available with Select Models

EVERY WINCH COMES WITH YOUR CHOICE

25 FOOT ROPE



40 FOOT CABLE
WITH PULLEY BLOCK



20 FOOT STRAP



CHECK OUT OUR TRAILER WINCH COVER



This cover protects against the elements- to keep your winch running like new.

COMING SOON

RC30	P55950-R	P55950	---
RC23	P55750-R	P55750	P55750-S
712	P77712-R	P77712	P77712-S
912	P77912-R	P77912	---
915	P77915-R	P77915	---



Go to Powerwinch.com for all manuals, replacement parts, and accessories.

Trailer Winch Series

Trailer winches are rated by weight of the boat, and pull rating or lift capacity.

RC30 Series Trailer Winch



RC23 Series Trailer Winch



Model 912 Trailer Winch



Model 712 Trailer Winch



Model 915 Trailer Winch



Suggested Boat Length	23'-30'	17'-23'	23'-30'	17'-23'	22'-29'
Maximum Boat Weight*	11,500 lbs	7,500 lbs	11,500 lbs	7,500 lbs	9,500 lbs
Line Speed	8 fpm	14 fpm	8 fpm	14 fpm	10 fpm
Vertical Lift Capacity**	4,000 lbs	2,400 lbs	4,000 lbs	2,400 lbs	3,200 lbs
Remote Control	Yes	Yes	No	No	No
Corded Remote Control	No	No	No	No	Yes
Power-in/ Freewheel-out	Yes	Yes	Yes	Yes	No
Power-in/ Power-out	No	No	No	No	Yes
Manual Hand Crank Included	Yes	Yes	Yes	Yes	Yes
Come with 60 amp Wiring Harness	Yes	Yes	Yes	Yes	Yes
Light	Yes	Yes	No	No	No
Double Line Capacity***	7,500 lbs	4,300 lbs	7,500 lbs	4,300 lbs	5,900 lbs
Gear Ratio	450:1	225:1	450:1	225:1	450:1
Circuit Breaker	60 amp	60 amp	60 amp	60 amp	60 amp
Unit Weight	36 lbs	34 lbs	35 lbs	33 lbs	40 lbs
Dimensions	9.5" x 11.5" x 9"	9.5" x 11.5" x 9"	10" x 10" x 8"	10" x 10" x 8"	10" x 10" x 8"
Standard Cable Length & Diameter	40' x 7/32"	40' x 7/32"	40' x 7/32"	40' x 7/32"	40' x 7/32"

*When calculating boat weight, be sure to include boat, motor, fuel, gear and supplies. If in doubt, select the next larger size. Max boat weight for strap option is 6,250 lbs.

**Vertical lift capacity is for cable option, max vertical lift capacity for strap is 2,000 lbs.

***Pulley block for double line applications is included in the 40ft cable option.

Safety tips: Do not use your trailer winch as a tie-down; use separate tie-downs to secure your boat on the trailer. | Not to be used as hoists.

STAINLESS STEEL UNIVERSAL REPLACEMENT CABLES



High chromium content and added nickel make these cables virtually impervious to corrosion and adds years of service. Ideal for any winch using 7/32" diameter cable, designed for handling boats up to 11,500 lbs. Superior 7 x 19 strand cable construction for maximum pulling strength.

Part # P1088100AJ - 25' with galvanized hook

Part # P7188800AJ - 40' with galvanized hook and pulley block

Part # P1088200AJ - 50' with galvanized hook

Part # P1096600AJ - 50' with galvanized hook and pulley block

Go to Powerwinch.com for all manuals, replacement parts, and accessories.



25' ROPE WITH HOOK

Perfect for your Trailer Winch, the New 25' Rope is an option for any of our Trailer Winches.



DECKMATE 24

Bringing back an all time favorite: Deckmate 24!

With updated motor components and a redesigned cover, the Deckmate 24 will become your new favorite winch.



BLUETOOTH REMOTE

No more worrying about lost remotes. Bluetooth Control Capabilities for the RC Series Trailer Winches is coming soon.



Control your winch with your phone!

SIGN UP TO BE NOTIFIED OF NEW PRODUCT RELEASES AND INFORMATION AT POWERWINCH.COM

HAND CRANK

Do it yourself with the heavy duty Powerwinch Hand Crank.

It will become your power player.



REMOTE CONTROL FOR 915

Prefer a wireless remote to a wired controller? The Model 915 Trailer Winch is getting an update!




With our new wireless remote, turn the winch on and off and activate the power-in/power-out operation with a press of a button.

TRAILER JACK

Quick and easy way to get your trailer in action!

Check out the Powerwinch Trailer Jack with maneuverable wheel and easy to use hand crank.




MOTORIZED FOLDING CAMPER WINCH WITH 1200 LB LIFT CAPACITY

Easier adjusts for lower and upper stops
More precise loading controls

40amp circuit breaker instead of a fuse

Protects against power disruptions

A drop-in replacement for the P55012



Camper Winch #P92001

Stops at the touch of a switch
Can even tuck your camper fabric when lowering

Lift More and Work Faster

Fastest model yet
Make lifting your folding camper a breeze

Simpler wiring design
Easier winch install

Most powerful lift system
Gets those heavy jobs done

No grease needed
Mess free use

Better gear system
For strong and durable loading

Uses your camper's existing cable

FOLDING CAMPER WINCH


INCLUDES UNIVERSAL REPLACEMENT COVER KIT

THE FOLDING CAMPER WINCH FEATURES:


Lift Capacity	1200 lbs
Duty Cycle	5 mins
Unit Weight	20 lbs
Circuit Breaker	40amp
Motor Voltage	12VDC
Sold with Cable	No
Switch Plate Included	Yes



Top Cover



Bottom Cover



Trim



Cover Bracket

The Universal Replacement Cover is provided as an alternative or replacement to your existing winch cover and can be purchased separately.

R001766



Durable aluminum housing with e-coat primer and polyester powder coat
No plastic parts to crack – Finish is chip-resistant

Patented Free-Fall System anchors up to 300'/min
Up to four times faster than powering down

Exclusive stainless steel rope and chain guidance system

Durable materials stand up to years of use

Ultra smooth motor uses less amps

Free-fall does not need battery power so it preserves your battery

Built with durable stainless steel fasteners
Resists corrosion for easy removal

Helm operated one-touch control
Easy to reach and easy to use

Replaceable Rode-Glide
Smoothly channels rope and chain below deck

Watertight seals
For additional protection against corrosion

One piece motor plate
For smooth power transmission & improved gear life

Heat treated oil-impregnated gear systems

Smoother operation, resists corrosion, lasts longer

Above deck design
More storage space for rope and chain

Stainless steel drive shaft
For years of smooth, reliable performance

Uses a tapered back splice
For smooth rope-to-chain transition

Sleek styling with small footprint
Uses up to 40% less deck space than the competition

BENEFITS OF FREE FALL VS. POWER DOWN:

EASIEST WAY TO ANCHOR-

FASTEST WAY TO ANCHOR-

Free-Fall drops the anchor up to 4 times faster

Free-Fall stops when the anchor has reached bottom

VS.

Rope collects on deck while you power down

ANCHORING SAFETY-

Free-Fall allows you to anchor quickly in any condition

PRECISE ANCHORING LOCATION-

Anchor your boat where you want it to be

VS.

Your boat will drift while you power down

EASIEST WAY TO USE-

Hold the helm switch for only 5 seconds to release

VS.

Hold the helm switch for 1-3 minutes



Free-Fall Anchor Windlasses

Automatic helm-operated, free-fall windlasses. The safest way to anchor!

Sport Fish 450



Windlass # P77727

Class 36'



Windlass # P77736

Class 41'



Windlass # P77741

Class 46'



Windlass # P77746

Boat Size	Up to 27 feet	Up to 36 feet	Up to 41 feet	Up to 46 feet
Pulling Power	450 lbs	775 lbs	900 lbs	1,100 lbs
Retrieval Speed	70' / minute	80' / minute	75' / minute	70' / minute
Anchoring Speed	Up to 150' / minute	Up to 250' / minute	Up to 300' / minute	Up to 350' / minute
Line Size & Type	1/2" Powerwinch Premium Medium Lay Nylon	1/2" Powerwinch Premium Medium Lay Nylon	5/8" Powerwinch Premium Medium Lay Nylon	5/8" Powerwinch Premium Medium Lay Nylon
Chain Size & Type	1/4" Hi-test ACCO G4	1/4" Hi-test ACCO G4	5/16" Hi-test ACCO G4	5/16" Hi-test ACCO G4
Rodes (sold separately)	P10293-P10296	P10293-P10296	P10297-P10300	P10297-P10300
Rope & Chain System	Metal Alloy	Stainless Steel	Stainless Steel	Stainless Steel
Replaceable Rode-Glide	Engineered Resin	Engineered Resin	Engineered Resin	Engineered Resin
Helm Operated Control Switch	Rocker	Rocker	Rocker	Rocker
Avg. Amp Draw (during retrieval)	8-10 amps	8-12 amps	10-14 amps	14-18 amps
Required Wire Size to Battery	8 gauge (50' run) 6 gauge (over 50' run)	8 gauge (50' run) 6 gauge (over 50' run)	6 gauge (70' run)	6 gauge (70' run)
Standard Equipped Thermal Circuit Breaker	25 amp auto reset	25 amp auto reset	25 amp auto reset	60 amp auto reset
Dual Switch Solenoid	Optional P1200000AJ	Optional P1200000AJ	Optional P1200000AJ	Included
Unit Weight	21 lbs	22 lbs	23 lbs	24 lbs
Overall Unit Dimensions (L x W x H)	10-9/16" x 7" x 6-5/16"	10-9/16" x 7" x 6-5/16"	10-9/16" x 7" x 6-5/16"	10-9/16" x 7" x 6-5/16"

FREE-FALL WINDLASSES

FREE FALL ANCHOR WINDLASS RODES

1/2" and 5/8" Powerwinch premium three strand nylon line, proven to be the highest quality and best performing line

ALL RODES COME WITH A



TAPERED BACKSPICE

Acco G4 Hi-Test 1/4" and 5/16" chain

WHY HI-TEST OVER BBB?

1/4" Hi-Test offers 50% more strength than 1/4" BBB
5/16" Hi-Test offers 47% more strength than 3/8" BBB
5/16" Hi-Test offers twice the strength of 5/16" BBB



AVAILABLE IN 8 LENGTHS

P10293 - RODE 10' x 1/4" - 150' x 1/2"
P10294 - RODE 15' x 1/4" - 200' x 1/2"
P10295 - RODE 15' x 1/4" - 300' x 1/2"
P10296 - RODE 20' x 1/4" - 300' x 1/2"
P10297 - RODE 15' x 5/16" - 200' x 5/8"
P10298 - RODE 20' x 5/16" - 200' x 5/8"
P10299 - RODE 20' x 5/16" - 250' x 5/8"
P10300 - RODE 20' x 5/16" - 300' x 5/8"

Note: New England 3-Strand Medium Lay Nylon rope and Weisenfels HT or ACCO HT G4 chain is required for Powerwinch windlasses.

Go to Powerwinch.com for all manuals, replacement parts, and accessories.



Durable aluminum housing with a polyester powder coat
No plastic parts to crack – Finish is chip-resistant

Powered Lift Assist System retrieves up to 150'/min
Electrical power assist retrieves pots in less than two minutes

Above deck design
Saves space for rope locker

Built with durable stainless steel fasteners
Resists corrosion for easy removal

Foot-operated, one-touch control switch
Easy to reach and easy to use

Sleek styling with small footprint
Uses up to 40% less deck space than the competition

Watertight seals

For additional protection against corrosion

One piece motor plate

For smooth power transmission & improved gear life

Heat treated oil-impregnated gear systems


Smoother operation, resists corrosion, lasts longer

Stainless steel drive shaft

For years of smooth, reliable performance

Multipurpose rope handling- anchoring, sailing, and fishing
Handles unlimited rope lengths

EQUIPPED WITH ONE-TOUCH OPERATED FOOT SWITCH



With the one-touch control switch, the *power is at your feet.*

The easy to use Capstan Foot Switch makes pulling, anchoring, sailing, and fishing a breeze.

Make your boating more pleasurable!

Part # P7817600AJ



Allows for hand-free operation of your capstan.

Go to Powerwinch.com for all manuals, replacement parts, and accessories.

Powered Lift Assist Capstan Collection

The best way to retrieve load items-anchors, traps or pots!



Capstan # P77099



Capstan # P77726



Capstan # P77769

Boat Length	-	26'	-
Maximum Pull	1,000 lbs	300 lbs	200 lbs
Retrieval Speed	40'/min	85'/min	150'/min
Power Source	12 volt	12 volt	12 volt
Line Size	1/2" - 3/4"	1/2" - 5/8"	Up to 5/8"
Rope Type	3 strand, medium lay premium nylon	3 strand, medium lay premium nylon	3 strand, medium lay premium nylon
Rope Length	Unlimited	Unlimited	Unlimited
Rope Included	No	No	No
Foot Switch Included	Yes	Yes	Yes
Larger or Smaller Application Size	Large	Small	Small
Thermal Resetting Circuit Breaker	80 amp	25 amp	80 amp
Min. Suggested Wire Size	6 gauge, 50' run	8 gauge, 50' run	6 gauge, 50' run
Unit Weight	23 lbs	20 lbs	19 lbs
Overall Dimensions (L x W x H)	10 9/16" x 8" x 6 5/16"	10 9/16" x 8" x 6 5/16"	10 9/16" x 8" x 6 5/16"

Safety tip: *Capstans should not be used as hoists.*

CAPSTAN COLLECTION

BENEFITS OF EACH CAPSTAN



OUR LARGEST CAPSTAN

Our largest capstan, the Capstan 1000, is a power assisted rope capstan for larger applications. A great tool for quick retrieval of lobster, prawn and crab pots. The Capstan 1000 also provides power assist for limited crew sailboats and power assisted anchor retrieval. Uses up to 3/4" diameter rope.



OUR MOST VERSATILE CAPSTAN

The Capstan 300 is a smaller power assisted rope capstan for a variety of uses for boats up to 26'. It has a maximum pull of 300 lbs with a retrieval speed of 85 feet per minute. Whether anchoring, sailing, or fishing, let the Capstan 300 spare your back, speed up your retrieval process, and make your boating more pleasurable.



OUR FASTEST CAPSTAN

The Quick Catch Pot Puller is a smaller power assisted rope capstan perfect for fast, safe, and easy retrieval of lobster or crab pots. With a retrieval speed of 150'/min, it is our fastest capstan. Electrical power assist retrieves pots in less than two minutes. Get back to what you enjoy!





HALEX

Extension Cord

Marine Shore Power Extension Cord For Boats, Campers, or RVs



Part Description	Part Number	Wire Description & Length	Plug	Socket
30A-125V 12ft Extension Cord	31212	12' 10AWG/3 Copper Wires (STOW)	L5-30P	L5-30R
30A-125V 25ft Extension Cord	31225	25' 10AWG/3 Copper Wires (STOW)	L5-30P	L5-30R
30A-125V 50ft Extension Cord	31250	50' 10AWG/3 Copper Wires (STOW)	L5-30P	L5-30R
50A-125V 12ft Extension Cord	51212	12' 6AWG/3 Copper Wires (STOW)	SS1-50P	SS1-50R
50A-125V 25ft Extension Cord	51225	25' 6AWG/3 Copper Wires (STOW)	SS1-50P	SS1-50R
50A-125V 50ft Extension Cord	51250	50' 6AWG/3 Copper Wires (STOW)	SS1-50P	SS1-50R
50A/125V/250V 12ft extension cord	52512	12' 6AWG/4 Copper Wires (STOW)	SS2-50P	SS2-50R
50A/125V/250V 25ft extension cord	52525	25' 6AWG/4 Copper Wires (STOW)	SS2-50P	SS2-50R
50A/125V/250V 50ft extension cord	52550	50' 6AWG/4 Copper Wires (STOW)	SS2-50P	SS2-50R

Adaptors

Marine Shore Power Adaptor For Boats, Campers, or RVs



Part Description	Part Number	Wire Description & Length	Plug	Socket
Straight Adaptors (30A Male to 15A Female)	30115	1.5ft 10AWG/3 Copper Wires (STOW)	L5-30P	5-15R
Straight Adaptors (30A Male to 50A Female)	30150	1.5ft 10AWG/3 Copper Wires (STOW)	L5-30P	S2-50R
Straight Adaptors (30A Female to 50A Male)	50130	1.5ft 10AWG/3 Copper Wires (STOW)	SS2-50P	L5-30R





H A L E X

Y-Adaptor

Marine Shore Power
Y-Splitter For Boats,
Campers, or RVs



Part Description	Part Number	Wire Description & Length	Plug	Socket
Y-Adapter (30A Male to 30A Female x2)	30230	1.5ft 10AWG/3 (125V) Copper Wires (STOW) + 1.5ft 10AWG/3 (125V) Copper Wires*2 (STOW)	L5-30P	L5-30R x2
Y-Adapter (30A Male x2 to 50A Female)	30250	1.5ft 6AWG/4 (125V/250V) Copper Wires (STOW) + 1.5ft 10AWG/3 (125V) Copper Wires*2 (STOW)	L5-30P x2	SS2-50R
Y-Adapter (50A Male to 30A Female x2)	50230	1.5ft 6AWG/4 (125V/250V) Copper Wires (STOW) +1.5ft 10AWG/3 (125V) Copper Wires*2 (STOW)	SS2-50P	L5-30R x2
Y-Adapter (50A Male to 50A Female x2)	50250	1.5ft 6AW/4 (125V/250V) Copper Wires (STOW) +1.5ft 6AW/4 (125V/250V) Copper Wires*2 (STOW)	SS2-50P	SS2-50R x2

Seal Collar

Marine Shore Power
Seal Collar For Boats,
Campers, or RVs cords



Part Description	Part Number	Plug	Socket
30A Weather Proof Sealing Connecting Collar	30100	Male Connector (P)	Female Connector (R)
50A Weather Proof Sealing Connecting Collar	50100	Male Connector (P)	Female Connector (R)



POWERWINCH

TRAILER, RV & MARINE PARTS



Trailer Winch Parts


Parts for the Powerwinch Trailer Winch Series

Part Description	RC 23 Trailer Winch	RC 30 Trailer Winch	712 Trailer Winch	912 Trailer Winch	915 Trailer Winch
Cover Kit	R001333	R001311	R001284	R001292	R001304
Hand Crank Handle	P5594700AJ	P5594700AJ	P5594700AJ	P5594700AJ	P5594700AJ
Replacement Cable	P7188800AJ	P7188800AJ	P7188800AJ	P7188800AJ	P7188800AJ
Universal Strap Kit	P91032	-	P91032	-	-
Pulley Block Kit (Not to be paired with Strap Kit)	P7904300AJ	P7904300AJ	P7904300AJ	P7904300AJ	P7904300AJ
Wiring Harness	P7830201AJ	P7830201AJ	P7830201AJ	P7830201AJ	P7830201AJ
Circuit Breaker, 60amp	P7837300AJ	P7837300AJ	P7837300AJ	P7837300AJ	P7837300AJ
Remote Control (KeyFob/ Plug Assembly)	R001501	R001501	-	-	R001305
Receiver Module	R001499	R001500	-	-	-
LED Light Kit	R001438	R001438	-	-	-
Light Switch	R001440	R001440	-	-	-
Solenoid	R001439	R001439	-	-	-
Switch Kit	-	-	P7811700AJ	P7811700AJ	-
Clutch Knob	R001314	R001314	R001314	R001314	-
Levelwind Plate	R001275	R001275	R001275	R001275	R001288
Relay Module	-	-	-	-	R001487

Folding Camper Winch Parts

Parts for the Powerwinch Folding Camper Winch

Part Description	Folding Camper Winch
Limit Switch Assembly	R001750
Relay Assembly	R001751
Switch Kit	R001752
Circuit Breaker, 40amp	P7832300AJ
Levelwind Plate	P3005300AJ
Cover Kit	R001760
Limit Switch Adjustment Tool	P20564



Additional parts may be available, contact your distributor or visit Powerwinch.com.



Marine Windlass Parts

Parts for the
Powerwinch Free-Fall
Windlasses

Part Description	36' Windlass	41' Windlass	46' Windlass	Sports Fish 450
Finger Kit	R001443	R001443	R001443	R001430
Gypsy Kit	R001431	R001449	R001449	R001431
Gypsy Shaft Kit	P10341	P10341	P10341	P10341
Stripper Kit	R001432	R001432	R001432	R001432
Bearing Kit	P10343	P10343	P10343	P10343
Shock Absorber Kit	R001435	R001435	R001435	R001435
Spin Off Gear Kit	R001436	R001436	R001446	R001436
Locking Gear Kit	R001437	R001437	R001445	R001437
Gear Kit	R001438	R001438	R001438	R001438
Motor Plate	R001440	R001440	R001440	R001440
Fastener Kit	R001439	R001439	R001439	R001439
Switch Kit	R001441	R001441	R001447	R001441
Circuit Breaker, 25amp	P1027600AJ	P1027600AJ	-	P1027600AJ
Circuit Breaker, 60amp	-	-	P7837300J	-
Relay Module	-	-	P1200000AJ	-

TRAILER, RV & MARINE PARTS

Marine Capstan Parts

Parts for the
Powerwinch Powered
Lift Assist Capstans



Part Description	Capstan 1000	Capstan 300	Quick Catch Pot Puller
Seal & Gasket Kit	P10346	P10346	P10346
Mounting Kit	P10349	P10349	P10349
Capstan Kit	R001461	R001461	R001461
Foot Switch	P7817600AJ	P7817600AJ	P7817600AJ
Circuit Breaker, 25amp	-	P1027600AJ	-
Circuit Breaker, 80amp	P1066800AJ	-	P1066800AJ
Bearing Kit	P10725	P10343	P10343
Capstan Shaft	R001456	R001456	R001456
Locking Gear Kit	P10731	R001453	R001453
Intermediate Shaft	P10723	R001464	R001464





POWERWINCH, INC.

A Scott Fetzer Company

For technical documents or information on
replacement parts and accessories, please visit us at:

WWW.POWERWINCH.COM



2268 Fairview Blvd.
Fairview, TN 37062

sales@sfeg.com