





For more than six decades, Powerwinch has been a trusted name among outdoor enthusiasts for unparalleled quality and reliability in the camping, marine and trailer winch industries.

Founded in 1956 in Bridgeport, Connecticut, Powerwinch's headquarters and manufacturing facility is now located in Fairview, Tennessee as a Marmon Power Systems | Berkshire Hathaway company.

TRAILER SERIES



Remote Control
RC30 Series
Trailer Winch



Premier Series
2000 Trailer
Winch



Premier Series
2000 Trailer
Jack
COMING SOON

TRAILER WINCHES

EASILY AND SECURELY LOADS YOUR BOAT ONTO THE TRAILER OR RELEASES IT INTO THE WATER. WITH QUALITY MOTORS AND HEAT TREATED GEAR MECHANISMS, OUR TRAILER WINCH SERIES GUARANTEES *POWER AND STRENGTH*.

NOW WITH *ELECTRIC AND MANUAL OPTIONS*

TRAILER JACKS

EASILY HITCH AND MAINTAIN YOUR TRAILER WITH A SPINNING WHEEL CAST DESIGN AND PIVOT PIN FOR MANEUVERABILITY. OUR TRAILER JACK ENSURES *EFFORTLESS AND SECURE* TRAILER HITCHING.

MARINE SERIES



Anchor Winch
36' Class
Windlass



POWER
1000
Capstan

WINDLASS ANCHOR WINCHES

QUICKLY AND SMOOTHLY ANCHOR. THE POWERWINCH PATENTED FREE-FALL SYSTEM ENSURES *QUICK AND SAFE ANCHORING*. ANCHOR WHERE YOU WANT, WHEN YOU WANT.

CAPSTAN WINCHES

EASY AND FAST ANCHORING, SAILING, AND FISHING. WITH *IMPRESSIVE PULLING POWER*, POWERWINCH CAPSTANS ARE A GREAT TOOL FOR QUICK RETRIEVALS OF LOBSTER, PRAWN, AND CRAB POTS.

CAMPER SERIES



POWER
Folding Camper
Winch

FOLDING CAMPER WINCH

RAISE AND LOWER YOUR CAMPER WITH THE TOUCH OF A SWITCH. ELIMINATE HAND CRANKING! *NO MORE STRUGGLING*, JUST SIT BACK AND RELAX.

Go to Powerwinch.com for all manuals, replacement parts, and accessories.

POWERWINCH

POWER TRAILER WINCHES

TRAILER SERIES

Light Included in the RC Series only

BUILT-IN LIGHT

So you can use your boat at night

SMOOTH RUNNING AND HEAT TREATED GEAR SYSTEM

For long life and protection against wear and tear

LEVEL WIND SYSTEM

Prevents cable snarls

RC Series Hand Crank Stored in the Winch Casing

HAND CRANK

For emergency

Choose Model 915 for Power-in/Power-out Operation

POWER-IN/FREEWHEEL-OUT & POWER-IN/POWER-OUT OPTIONS

Effortless trailer loading

AIRCRAFT QUALITY CABLES

For strong and durable loading
*Strap option available for RC23 & 712

UV-RESISTANT ABS PLASTIC HOUSING

More durable design resists exposure, lasts longer


ZINC-PLATED FRAME

Corrosion-resistant winch

Available with Select Models

REMOTE CONTROL

For remote operating and ease in loading



WINCHES COME WITH YOUR CHOICE

40 FOOT
CABLE



20 FOOT
STRAP



RC30	P55950	Not Available
RC23	P55750	P55750-S
912	P77712	Not Available
712	P77912	P77712-S
915	P77915	Not Available

CHECK OUT OUR TRAILER WINCH COVER



This cover protects against the elements to keep your winch looking and running like new.

Go to Powerwinch.com for all manuals, replacement parts, and accessories.

POWERWINCH

POWER Trailer Winches

Trailer winches are rated by weight of the boat, and pull rating or lift capacity.

RC30 Series Trailer Winch



RC23 Series Trailer Winch



Model 912 Trailer Winch



Model 712 Trailer Winch



Model 915 Trailer Winch



SUGGESTED BOAT LENGTH	Up to 30'	Up to 23'	Up to 30'	Up to 23'	Up to 29'
MAX BOAT WEIGHT- CABLE*	11,500 lbs	7,500 lbs	11,500 lbs	7,500 lbs	9,500 lbs
MAX BOAT WEIGHT- STRAP*	--	6,250 lbs	--	6,250 lbs	--
LINE SPEED	8 fpm	14 fpm	8 fpm	14 fpm	10 fpm
VERTICAL LIFT CAPACITY- CABLE	4,000 lbs	2,400 lbs	4,000 lbs	2,400 lbs	3,200 lbs
VERTICAL LIFT CAPACITY- STRAP	--	2,000 lbs	--	2,000 lbs	--
WIRELESS REMOTE CONTROL	Yes	Yes	No	No	No
CORDED REMOTE CONTROL	No	No	No	No	Yes
POWER-IN/ FREEWHEEL- OUT	Yes	Yes	Yes	Yes	No
POWER-IN/ POWER-OUT	No	No	No	No	Yes
MANUAL HAND CRANK INCLUDED	Yes	Yes	Yes	Yes	Yes
60 AMP WIRING HARNESS INCLUDED	Yes	Yes	Yes	Yes	Yes
LIGHT	Yes	Yes	No	No	No
DOUBLE LINE CAPACITY**	7,500 lbs	4,300 lbs	7,500 lbs	4,300 lbs	5,900 lbs
GEAR RATIO	450:1	225:1	450:1	225:1	450:1
CIRCUIT BREAKER	60 amp	60 amp	60 amp	60 amp	60 amp
UNIT WEIGHT	36 lbs	34 lbs	35 lbs	33 lbs	40 lbs
DIMENSIONS (L X W X H)	9 1/2" x 11 1/2" x 9"	9 1/2" x 11 1/2" x 9"	10" x 10" x 8"	10" x 10" x 8"	10" x 10" x 8"
STANDARD CABLE LENGTH & DIAMETER	40' x 7/32"	40' x 7/32"	40' x 7/32"	40' x 7/32"	40' x 7/32"

TRAILER SERIES

*When calculating boat weight, be sure to include boat, motor, fuel, gear and supplies. If in doubt, select the next larger size.

**Pulley block for double line applications is included in the 40ft cable option.

Safety tips: Do not use your trailer winch as a tie-down; use separate tie-downs to secure your boat on the trailer. | Not to be used as hoists.

UNIVERSAL REPLACEMENT CABLES



High chromium content and added nickel make these cables virtually impervious to corrosion and adds years of service. Ideal for any winch using 7/32" diameter cable, designed for handling boats up to 11,500 lbs. Superior 7 x 19 strand cable construction for maximum pulling strength.

Part # R3005 - 25' with galvanized hook

Part # R3003 - 40' with galvanized hook

Go to Powerwinch.com for all manuals, replacement parts, and accessories.

POWERWINCH

PREMIER SERIES 2000 TRAILER WINCH

MAX PULL WEIGHT: 2,000 LB

FULLY ASSEMBLED AND READY TO INSTALL

OVERSIZED, TEXTURED HANDLE

Comfortable, no-slip
grip

8" POWDER-COATED, DIE-CAST, ALUMINUM CRANK ARM

Superior leverage

OVERSIZED, POWDER-COATED, STEEL FRAME

Maximum loading
strength and durability

HIGH-QUALITY, 20' STRAP

2" wide, four-panel
webbing, polyester strap
with forged snap hook

ADJUSTABLE MOUNTING

Accommodates numerous
trailer configurations

POWDER-COATED, DIE-CAST, ALUMINUM COVERS

Durable design resists
corrosion, long lasting

INTEGRATED ZERK GREASE FITTING

Easy pawl and ratchet
gear lubrication

PREMIUM PRECISION GEARING

High-efficiency gearing
improves pulling capacity
with less cranking torque

4.75:1 GEAR RATIO

Easiest operation
on the market

DUAL-BOLT CLAMP COUPLING

Ensures crank arm will not
loosen or decouple from
pinion spindle

BLACK
21300-W-2000-8-B-R

ALSO AVAILABLE IN

GRAY
21300-W-2000-8-G-R

PATENTS PENDING

ENGINEERED AND ASSEMBLED IN THE USA

Go to Powerwinch.com for all manuals, replacement parts, and accessories.



TRAILER SERIES



PREMIER SERIES



SELECT SERIES



UTILITY SERIES



TRAILER SERIES

COMING SOON SALTWATER SERIES

SERIES NAME	PREMIER SERIES	SELECT SERIES	UTILITY SERIES
WEIGHT CAPACITY (LB)	2000	600, 800, 1000, 1200, 1400, 1600, 2500	600, 800, 1000, 1200, 1400, 1600, 2500
COLOR OPTIONS	Black/Gray	Black	Zinc
FINISH	Powder-Coated	Powder-Coated	Zinc Plated
COVER	Die-Cast Aluminium	Plastic Cover	None
CRANK ARM	8"	6" or 8"	6" or 8"
APPLICATION	Freshwater/ Saltwater	Freshwater	Freshwater

POWERWINCH

PREMIER SERIES 2000 TRAILER JACKS

COMING SOON 2025

MAX PULL WEIGHT: 2,000 LB

STRONG CRANK ARM

Powder coated die cast aluminum construction

OVERSIZED TEXTURED HANDLE

Comfortable no-slip grip

POWDER COATED SQUARE TUBING

High loading durability

OVERSIZED CAST FRAME

Smooth and easy wheel movement

HIGH QUALITY HUB

Aluminum Hub with rubber tire for robust maneuverability

DURABLE TRAILER JACK CASE

Powder-coated gunmetal gray die-cast aluminum case

SIMPLE HANDLING

Simple Mount 3 - 5" from Trailer Frames

SIMPLE GRIP PIVOT PIN

Ergonomic ease

PROPRIETARY SWIVEL DESIGN

Smooth rotation

PREMIUM MATERIALS & FINISHES

Strong and durable operation



Go to [Powerwinch.com](https://www.Powerwinch.com) for all manuals, replacement parts, and accessories.

POWERWINCH

TRAILER JACK

PREMIER SERIES



SELECT SERIES



UTILITY SERIES



TRAILER SERIES

COMING SOON SALTWATER SERIES

SERIES NAME	PREMIER SERIES	SELECT SERIES	UTILITY SERIES
WEIGHT CAPACITY (LB)	2000	1000, 1200, 1500, 2500	1000, 1200, 1500, 2500
COLOR OPTIONS	Black/Gray	Black	Zinc
FINISH	Powder-Coated	Powder-Coated	Zinc Plated
PIVOT COVER	Covered	Not Covered	Not Covered
MOUNTING OPTIONS	Bolt-on/Weld-on	Bolt-on/Weld-on	Bolt-on/Weld-on
SUPPORT OPTIONS	Single Wheel	Single Wheel/Double Wheel/Fixed	Single Wheel/Double Wheel/Fixed
APPLICATION	Freshwater/ Saltwater	Freshwater	Freshwater

Go to Powerwinch.com for all manuals, replacement parts, and accessories.

POWERWINCH

POWERANCHOR WINDLASS

DURABLE POWDER-COATED ALUMINUM HOUSING

No plastic parts to crack – Finish is chip-resistant

PATENTED FREE-FALL SYSTEM ANCHORS UP TO 300'/MIN

Up to four times faster than powering down

EXCLUSIVE STAINLESS STEEL ROPE AND CHAIN GUIDANCE SYSTEM

Durable materials stand up to years of use

ULTRA SMOOTH MOTOR USES LESS AMPS

Free-fall does not need
battery power so it
preserves your battery

BUILT WITH DURABLE STAINLESS STEEL FASTENERS

Resists corrosion for easy removal

HELM OPERATED ONE-TOUCH CONTROL

Easy to reach and easy to use

REPLACEABLE RODE-GLIDE

Smoothly channels rope and
chain below deck

WATERTIGHT SEALS

For additional protection against
corrosion

ONE PIECE MOTOR PLATE

For smooth power transmission
& improved gear life

HEAT TREATED OIL-IMPREGNATED GEAR SYSTEMS

Smooth operation, resists
corrosion, long lasting

ABOVE DECK DESIGN

More storage space
for rope and chain

STAINLESS STEEL DRIVE SHAFT

For years of smooth,
reliable performance

USES A TAPERED BACK SPLICE

For smooth rope-to-chain transition

SLEEK STYLING WITH SMALL FOOTPRINT

Uses up to 40% less deck space than the competition

BENEFITS OF FREE FALL VS. POWER DOWN

EASIEST WAY TO ANCHOR

FASTEST WAY TO ANCHOR-

Free-Fall drops
the anchor
up to 4 times
faster

Free-Fall stops when
anchor reaches bottom

VS.

Rope collects on deck
while you power down

PRECISE ANCHORING LOCATION

Anchor your boat where
you want it to be

VS.

Your boat will drift while
you power down

EASIEST WAY TO USE

Hold helm switch for
5 seconds to release

VS.

Hold the helm switch
for 1-3 minutes

ANCHORING SAFETY-

Free-Fall allows
you to anchor
quickly in any
condition

Go to Powerwinch.com for all manuals, replacement parts, and accessories.

Free-Fall Anchor Windlasses

Automatic helm-operated, free-fall windlasses. The safest way to anchor!

Sport Fish 450



Windlass # P77727

Class 36'



Windlass # P77736

Class 41'



Windlass # P77741

Class 46'



Windlass # P77746

BOAT SIZE	Up to 27 feet	Up to 36 feet	Up to 41 feet	Up to 46 feet
PULLING POWER	450 lbs	775 lbs	900 lbs	1,100 lbs
RETRIEVAL SPEED	70' / minute	80' / minute	75' / minute	70' / minute
ANCHORING SPEED	Up to 150' / minute	Up to 250' / minute	Up to 300' / minute	Up to 350' / minute
LINE SIZE & TYPE	½" Powerwinch Premium Medium Lay Nylon	½" Powerwinch Premium Medium Lay Nylon	⅝" Powerwinch Premium Medium Lay Nylon	⅝" Powerwinch Premium Medium Lay Nylon
CHAIN SIZE & TYPE	¼" Hi-test ACCO G4	¼" Hi-test ACCO G4	⅝" Hi-test ACCO G4	⅝" Hi-test ACCO G4
RODES (SOLD SEPARATELY)	P10293-P10296	P10293-P10296	P10297-P10300	P10297-P10300
ROPE & CHAIN SYSTEM	Metal Alloy	Stainless Steel	Stainless Steel	Stainless Steel
REPLACEABLE RODE-GLIDE	Engineered Resin	Engineered Resin	Engineered Resin	Engineered Resin
HELM OPERATED CONTROL SWITCH	Rocker	Rocker	Rocker	Rocker
AVG. AMP DRAW (DURING RETRIEVAL)	8-10 amps	8-12 amps	10-14 amps	14-18 amps
REQUIRED WIRE SIZE TO BATTERY	8 gauge (50' run) 6 gauge (over 50' run)	8 gauge (50' run) 6 gauge (over 50' run)	6 gauge (70' run)	6 gauge (70' run)
STANDARD EQUIPPED THERMAL CIRCUIT BREAKER	25 amp auto reset	25 amp auto reset	25 amp auto reset	60 amp auto reset
DUAL SWITCH SOLENOID	Optional P1200000AJ	Optional P1200000AJ	Optional P1200000AJ	Included
UNIT WEIGHT	21 lbs	22 lbs	23 lbs	24 lbs
DIMENSIONS (L X W X H)	10 ⅞" x 7" x 6 ⅝"	10 ⅞" x 7" x 6 ⅝"	10 ⅞" x 7" x 6 ⅝"	10 ⅞" x 7" x 6 ⅝"

Safety tip: Windlasses should not be used as hoists.

FREE-FALL ANCHOR WINDLASS RODES

½" and ⅝" Powerwinch premium three strand nylon line, proven to be the highest quality and best performing line

ALL RODES COME WITH A



TAPERED BACKSPICE

Acco G4 Hi-Test ¼" and ⅝" chain

WHY HI-TEST OVER BBB?

¼" Hi-Test offers 50% more strength than ¼" BBB
 ⅝" Hi-Test offers 47% more strength than ⅝" BBB
 ⅝" Hi-Test offers twice the strength of ⅝" BBB

AVAILABLE IN 8 LENGTHS

P10293 - RODE 10' x ¼" - 150' x ½"
 P10294 - RODE 15' x ¼" - 200' x ½"
 P10295 - RODE 15' x ¼" - 300' x ½"
 P10296 - RODE 20' x ¼" - 300' x ½"
 P10297 - RODE 15' x ⅝" - 200' x ⅝"
 P10298 - RODE 20' x ⅝" - 200' x ⅝"
 P10299 - RODE 20' x ⅝" - 250' x ⅝"
 P10300 - RODE 20' x ⅝" - 300' x ⅝"

Note: New England 3-Strand Medium Lay Nylon rope and Weisenfels HT or ACCO HT G4 chain is required for Powerwinch windlasses.

Go to Powerwinch.com for all manuals, replacement parts, and accessories.

POWERWINCH

POWER LIFT ASSIST CAPSTAN

MARINE SERIES

DURABLE POWDER COATED ALUMINUM HOUSING

No plastic parts to crack – Finish is chip-resistant

POWERED LIFT ASSIST SYSTEM RETRIEVES UP TO 150'/MIN

Electrical power assist retrieves pots in less than two minutes

BUILT WITH DURABLE STAINLESS STEEL FASTENERS

Resists corrosion for easy removal

WATERTIGHT SEALS

For additional protection against corrosion

ONE PIECE MOTOR PLATE

For smooth power transmission & improved gear life

HEAT TREATED OIL-IMPREGNATED GEAR SYSTEMS

Smooth operation, resists corrosion

STAINLESS STEEL DRIVE SHAFT

For years of smooth, reliable performance

ABOVE DECK DESIGN

Saves space for rope locker

FOOT-OPERATED, ONE-TOUCH CONTROL SWITCH

Easy to reach and easy to use


SLEEK STYLING WITH SMALL FOOTPRINT

Uses up to 40% less deck space than the competition

MULTIPURPOSE ROPE HANDLING- ANCHORING, SAILING, AND FISHING

Handles unlimited rope lengths

EQUIPPED WITH ONE-TOUCH OPERATED FOOT SWITCH



With the one-touch control switch, the *power is at your feet.*

The easy to use Capstan Foot Switch makes pulling, anchoring, sailing, and fishing a breeze.

Make your boating more pleasurable!

Part # P7817600AJ



Allows for hand-free operation of your capstan.

Additional parts may be available, contact your distributor or visit Powerwinch.com.

POWER Lift Assist Capstan Collection

The best way to
retrieve load items-
anchors, traps or pots!



Capstan # P77099



Capstan # P77726



Capstan # P77769

BOAT LENGTH	--	Up to 26'	--
MAXIMUM PULL	1,000 lbs	300 lbs	200 lbs
RETRIEVAL SPEED	40'/min	85'/min	150'/min
POWER SOURCE	12 volt	12 volt	12 volt
LINE SIZE	1/2" - 3/4"	1/2" - 5/8"	Up to 5/8"
ROPE TYPE	3 Strand, Medium Lay Premium Nylon	3 Strand, Medium Lay Premium Nylon	3 Strand, Medium Lay Premium Nylon
ROPE LENGTH	Unlimited	Unlimited	Unlimited
ROPE INCLUDED	No	No	No
FOOT SWITCH INCLUDED	Yes	Yes	Yes
LARGE OR SMALL APPLICATION SIZE	Large	Small	Small
THERMAL RESETTING CIRCUIT BREAKER	80 amp	25 amp	80 amp
MIN. SUGGESTED WIRE SIZE	6 gauge, 50' run	8 gauge, 50' run	6 gauge, 50' run
UNIT WEIGHT	23 lbs	20 lbs	19 lbs
DIMENSIONS (L X W X H)	10 9/16" x 8" x 6 5/16"	10 9/16" x 8" x 6 5/16"	10 9/16" x 8" x 6 5/16"

Safety tip: Capstans should not be used as hoists.

BENEFITS OF EACH CAPSTAN



OUR LARGEST CAPSTAN

Our largest capstan, the Capstan 1000, is a power assisted rope capstan for larger applications. A great tool for quick retrieval of lobster, prawn and crab pots. The Capstan 1000 also provides power assist for limited crew sailboats and power assisted anchor retrieval. Uses up to 3/4" diameter rope.

OUR MOST VERSATILE CAPSTAN



The Capstan 300 is a smaller power assisted rope capstan for a variety of uses for boats up to 26'. It has a maximum pull of 300 lbs with a retrieval speed of 85 feet per minute. Whether anchoring, sailing, or fishing, let the Capstan 300 spare your back, speed up your retrieval process, and make your boating more pleasurable.



OUR FASTEST CAPSTAN

The Quick Catch Pot Puller is a smaller power assisted rope capstan perfect for fast, safe, and easy retrieval of lobster or crab pots. With a retrieval speed of 150'/min, it is our fastest capstan. Electrical power assist retrieves pots in less than two minutes. Get back to what you enjoy!

Additional parts may be available, contact your distributor or visit Powerwinch.com.

POWERWINCH

POWERWINCH FOLDING CAMPER

MAX LIFT CAPACITY: 1,000 LBS

CAMPER SERIES


A drop-in replacement for the P55012

40AMP CIRCUIT BREAKER INSTEAD OF A FUSE

Protects against power
disruptions

EASY ADJUSTS FOR LOWER AND UPPER STOPS

Precise loading controls



Camper Winch #P92001

Lift More and Work Fast

SIMPLE WIRING DESIGN

Easy winch install

MOST POWERFUL LIFT SYSTEM

Gets those heavy
jobs done

NO GREASE NEEDED

Mess free use

BETTER GEAR SYSTEM

For strong and
durable loading

STOPS AT THE TOUCH OF A SWITCH

Can even tuck your camper
fabric when lowering

FASTEST MODEL YET

Make lifting your folding camper a breeze

Uses your camper's existing cable

THE FOLDING CAMPER WINCH FEATURES:

Lift Capacity	1,200 lbs
Duty Cycle	5 mins
Unit Weight	20 lbs
Circuit Breaker	40amp
Motor Voltage	12VDC
Sold with Cable	No
Switch Plate Included	Yes

INCLUDES UNIVERSAL REPLACEMENT COVER KIT



Top Cover



Bottom Cover



Trim



Cover Bracket

The Universal Replacement Cover is provided
as an alternative or replacement to your existing
winch cover which can be ordered separate.

TO ORDER SEPARATE: R001760

Go to Powerwinch.com for all manuals, replacement parts, and accessories.

POWERWINCH

POWER ANCHOR 40

COMING SOON 2025

COMING SOON

BUILT WITH DURABLE STAINLESS STEEL FASTENERS

Resists corrosion for easy removal

POWDER-COATED, DIE-CAST ALUMINUM, COVERS

Durable design resists corrosion, long lasting

100' ROPE

LED LIGHTS

So you can use your boat at night

AUTO DEPLOY

Easy deploy, sink to bottom in seconds

MODULAR DESIGN

Easy way to keep up the maintenance of your winch

REMOVABLE DAVIT

Adjustable to most lengths needed


AUTO SHUT OFF

Never overextend, sinks only to the bottom

BLUETOOTH CAPABILITY

REMOTE CONTROL

For remote operating and ease in anchor retrieval



Go to [Powerwinch.com](https://www.powerwinch.com) for all manuals, replacement parts, and accessories.

POWERWINCH

A Marmon | Berkshire Hathaway Company



2268 Fairview Blvd.
Fairview, TN 37062

sales@sfeg.com

powerwinch.com